



04 PROFESSIONAL DRAIN CLEANING

- / 05 / Drain Cleaning Machines
- / 12 / Drum Augers
- / 14 / Toilet Augers
- / 15 / Drain Cleaning Steel Rods & Tools

16 DIY DRAIN CLEANING

- / 20 / Drum Augers
- / 25 / Drain Cleaners with Crank Handle
- / 30 / Plungers and Suction Pumps
- / 35 / DIY Drain Cleaning Products- Other
- / 40 / Toilet Augers
- / 42 / Flat-Tape Pipe Cleaners

46 PLUMBING TOOLS

- / 47 / Bending Springs

50 CABLE PULLING

- / 51 / Steel
- / 54 / Fiberglass
- / 60 / Nylon
- / 62 / PP Coating
- / 64 / PET & POM
- / 68 / Cable Pulling Accessories



SAMROCK®

SINCE 1981
MANUFACTURER OF DRAN CLEANER & FISH TAPE

COMPANY EXPANSION HISTORY

1981

Oct. 9th
SamRock established

1986

Sept. 1st
Factory moved to Da-Liao at 5,000 square feet

2006

Mar. 12th
Factory moved to Gangshan current site, plant A; land area at 60,000 square feet

2013

Dec. 17th
Plant B expansion began

2015

April 1st
April 1st, 2015
Plant B officially in use (Indoor area expanded to 71,000 square feet)

COMPANY PROFILE

Established in 1981 in Taiwan, Sam Rock Industrial Co., Ltd. has over 30 years of experiences in specializing in the manufacture of fish tapes and drain cleaners for the exporting market. We have over 200 different types of drain cleaners and fish tapes/cable pullers available, plus a few collections of bending springs and tubing works.

Sam Rock's products can be used at both the DIY and Home improvement market and the professional market.

With high quality and competitive pricing, Sam Rock has successfully exported to oversea countries for more than 2,000,000 pieces per year in our entire product range, with Europe and the US being our major markets. We use

environmentally safe and tested materials in our products and some of our products have received REACH and PAHs certifications. Sam Rock has also been certified with ISO 9001 so quality control is assured to us and our customers.

Sam Rock is always looking to make new and better products to benefit customers. Recently, Sam Rock has added a few models of electrical drain cleaning machines and the bigger modeled cable pullers to our product line so that more professional users can benefit from our new presentation. It is our strong belief and most important commitment to provide customers with superior products, services, and cooperations.

DRAIN CLEANING MACHINES

PROFESSIONAL
DRAIN
CLEANING

DESCRIPTIONS

- Pipe cleaning machines available with Open Cage (W) or ABS Drum (P).
- Ideal for indoor and outdoor plumbing for drain diameters of 1 1/4" ~ 4" (32mm~100mm) in bathrooms, kitchens, and other types of pipes.
- Each machine comes with flexible, strong, anti-kinking, high tensile spring cable with inner core.
- Metal trolley with big wheels for easy transport.
- Drum/Cage spinning speed at 250 RPM.
- B~D-models with automatic feeding device with maximum speed of 5m/min; A model machines are manual feeding.
- Input 250W, optional rated voltage of 220V or 110V; optional frequencies of 50HZ or 60HZ.
- PRCD leakage protection included to prevent electric shock.

DIFFERENT TYPES OF MODELS FOR DRAIN CLEANING MACHINES

	Model A	Model B & C	Model D	
Cable(s)	φ12.7mm*15m φ10.0mm*23m		φ12mm*15m φ12mm*23m	
Accessories & Connectors	D13001	Bulb Auger	D16001	Collection Helical Drill
	C13001	Grease Cutter	D16002	Straight Auger
	C13002	C Cutter	D16003	Flexible olive shaped helical drill
	C13003	Side Cutter Blade	C16001	C Shaped Cutter
			C16002	Spade Shaped Cutter
		K16001	Key for attaching connector	



D361215P

Item No.	Description	Content
A331315W A331315P	A-Trolley without wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 12.7mm*15m (1/2"*50') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
AW331315W AW331315P	A-Trolley with wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 12.7mm*15m (1/2"*50') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
B331315W B331315P	B-Trolley with wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 12.7mm*15m (1/2"*50') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
C331315W C331315P	B-Trolley with wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 12.7mm*15m (1/2"*50') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
D361215P	D-Trolley with wheels with ABS Drum	Including: ϕ 12mm*15m (1/2"*50') enhanced spring cable with inner core x 1 D16001 Collection Helical Drill x 1 D16002 Straight Auger x 1 D16003 Flexible olive shaped helical drill x 1 C16001 C Shaped Cutter x 1 C16002 Spade Shaped Cutter x 1 K16001 Key for attaching connector x 1
	D-Model Accessories	

Item No.	Description	Content
A331023W A331023P	A-Trolley without wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 10mm*23m (3/8"*75') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
AW331023W AW331023P	A-Trolley with wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 10mm*23m (3/8"*75') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
B331023W B331023P	B-Trolley with wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 10mm*23m (3/8"*75') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
C331023W C331023P	C-Trolley with wheels with container options below: W- Steel Open Cage P- ABS Drum	Including: ϕ 10mm*23m (3/8"*75') enhanced spring cable with inner core x 1 D13001 Bulb Auger x 1 C13001 Grease Cutter x 1 C13002 C Cutter x 1 C13003 Side Cutter Blade x 1
D361223P	D-Trolley with wheels with ABS Drum	Including: ϕ 12mm*23m (1/2"*75') enhanced spring cable with inner core x 1 D16001 Collection Helical Drill x 1 D16002 Straight Auger x 1 D16003 Flexible olive shaped helical drill x 1 C16001 C Shaped Cutter x 1 C16002 Spade Shaped Cutter x 1 K16001 Key for attaching connector x 1
	D-Model Accessories	



D13001



C13002



C13001



C13003



A331315W
A331023W



AW331315P
AW331023P

MODEL A INSTRUCTIONS

1. Choose from different connectors of drill and cutter for various types of blockages in pipe line.
2. Turn on motor, and easy operation of cable rotation (on/off) by pressing the Air Switch.
3. Manually feed out/in spring cable to desired length.



MODEL B & C INSTRUCTIONS

1. Choose from different connectors of drill and cutter for various types of blockages in pipe line.
2. Turn on motor; to start cable rotation, simply press the Air Switch.
3. Use the drive handle to control auto-feeding and speed.



MODEL D INSTRUCTIONS

1. Choose from different connectors of drill and cutter for various types of blockages in pipe line.
2. Turn on motor; to start cable rotation, simply press the Air Switch.
3. Use the drive handle to control auto-feeding and speed.
4. Use cable with hose for protection and clean operation.



SECTIONAL PIPE CLEANER



DESCRIPTIONS

- Ideal for all kinds of indoor pipes of $\phi 20 \sim 150 \text{mm}$; the total cleaning length can be up to 30 meters.
- Three different kinds of cable diameters available: $\phi 9.5 \text{mm}$, $\phi 16 \text{mm}$, and $\phi 22 \text{mm}$; strong, convenient, and flexible cables for operation.
- Easy and fast to switch the cables from one to the other in seconds.
- Necessary chucks included for cables $\phi 9.5 \text{mm}$ and $\phi 16 \text{mm}$.
- Cable $\phi 9.5 \text{mm}$ is used for pipes of $\phi 20 \sim 75 \text{mm}$, in 7.5 meters long.
- Sectional Cable $\phi 16 \text{mm}$ is used for pipes of $\phi 32 \sim 100 \text{mm}$, with lockfast connectors to provide the cleaning length up to 30 meters.
- Sectional Cable $\phi 22 \text{mm}$ is used for pipes of $\phi 50 \sim 150 \text{mm}$, with lockfast connectors to provide the cleaning length up to 30 meters.
- Rotating speed is up to 400 RPM: press down handle for operation; the cable stops when the handle is lifted.
- Rated Voltage: Optional 220V and 110V, and frequencies of 50Hz and 60Hz.

COMPLETE SET OF SR3500 CONTAINS

Cables	9.5mm x 7.5m Spiral cable
	3 Sectional Cables of 16mm x 5m(L) with basket
	3 Sectional Cables of 22mm x 5m(L) with basket
Accessories & Connectors	C16004 16mm Forked Cutter
	C16005 16mm Blade Cutter
	C22001 22mm Blade Cutter
	D16004 Straight Auger
	D16005 Funnel Auger
	D22001 M Funnel Auger
	D22002 L Funnel Auger
	CK3509 Chuck for 9mm cable
	CK3516 Chuck for 16mm cable
	K35001 Key
G35001 Gloves	

MANUAL FLOOR-TYPE DRAIN CLEANER



DESCRIPTIONS

- Durable steel drum is treated for rust resistance.
- Two bearings mounted on the rack to help drum turn smoothly and easily.
- Rack also provides for carrying.
- One complete set of the Floor-Type Drain Cleaner includes two sizes of cables.
- Spring cable made from top quality spring wire with inner core.

COMPLETE SET OF 1050CW INCLUDES

1050CW	1050C Metal Container
	Cable: 8.5mm x 50FT(15m)
	Cable: 10mm x 50FT(15m) Cable Cage x 1

OPTIONAL SPARE PARTS

0250W	Dia. 8.5mm x 50FT(15m), cable cage included
0350W	Dia. 10mm x 50FT(15m), cable cage included
1050C	Container only; Capacity: 75Ft(22.8m) x 10mm

DRUM AUGERS

PROFESSIONAL
DRAIN
CLEANING

STEEL DRUM AUGERS DESCRIPTIONS

- Professional manual hand-typed steel drum auger. Excellent for home users.
- G Steel drum made with aluminum alloy geared handle.
- SB Steel drum is light model for steel drum augers.
- Drum equipped with a spindle for attaching to an electric drill for energy-saving operation.
- Durable steel wire cable of Dia. 8.5mm with inner core; made from top quality spring wire.

ITEM NO.	Dia.	Inner Core	Length	Standard Packing
0125GB	8.5mm	Wire Core	25Ft (7.5m)	1pc/Box
0140GB	8.5mm	Wire Core	40Ft (12m)	1pc/Box
0125G	8.5mm	Wire Core	25Ft (7.5m)	1pc/Box
0140G	8.5mm	Wire Core	40Ft (12m)	1pc/Box
0115SB	8.5mm	Wire Core	15Ft (4.5m)	1pc/Box
0125SB	8.5mm	Wire Core	25Ft (7.5m)	1pc/Box



G Drums 0125G



SB Drums 0125SB



GB Drums 0125GB



Drum Augers
0125HE



Drum Augers
0125HE-B



Power Drum Augers
0125ED

*Adjustable safety clutch



Power Drum Augers
0125ED-B

*Adjustable safety clutch

PLASTIC DRUM AUGERS DESCRIPTIONS

- Professional model of plastic drum augers and plastic power drum augers
- Light-weighted PE drum and pistol grip for easy handling.
- Power drum auger is equipped with a spindle for attaching to an electric drill for energy-saving operation.
- Power drum auger is equipped with an adjustable and automatic safety clutch, which will slip if the auger gets kinked up in the pipe line.
- Optional spring cables with different kinds of inner cores.

ITEM NO.	Dia.	Inner Core	Length	Spindle for Drill	Standard Packing
0125HE	7mm	N/A	25Ft (7.5m)	N	4/CTN
0125HN	7mm	Nylon Core	25Ft (7.5m)	N	1/Box
0125HD	8.5mm	Wire Core	25Ft (7.5m)	N	1/Box
0125HE-B	7mm	N/A	25Ft (7.5m)	N	4/CTN
0125HN-B	7mm	Nylon Core	25Ft (7.5m)	N	1/Box
0125HD-B	8.5mm	Wire Core	25Ft (7.5m)	N	1/Box
0125ED	7mm	N/A	25Ft (7.5m)	Y	4/CTN
0125ND	7mm	Nylon Core	25Ft (7.5m)	Y	1/Box
0125DD	8.5mm	Wire Core	25Ft (7.5m)	Y	1/Box
0125ED-B	7mm	N/A	25Ft (7.5m)	Y	4/CTN
0125ND-B	7mm	Nylon Core	25Ft (7.5m)	Y	1/Box
0125DD-B	8.5mm	Wire Core	25Ft (7.5m)	Y	1/Box

TOILET AUGERS

PROFESSIONAL
DRAIN
CLEANING



HEAVY DUTY DELUX TOILET AUGER DESCRIPTIONS

- Heavy-duty type toilet auger in Dia. 1/2" (12mm)
- Spring auger cable is Zinc plated
- Optional auger with inner wire core
- Smooth grip handles provide for easy rotation.

ITEM NO.	Auger Dia.	Inner Core	Auger Length	Tube Dia.	Standard Packing
0302A	1/2"(12mm)	N	3Ft	5/8"	12/CTN
0302A-6	1/2"(12mm)	N	6Ft	5/8"	8/CTN

STEEL RODS & TOOLS



DESCRIPTIONS

- Ideal to use with long drain that runs up to 100m.
- Rods made from high tensile steel, with lockfast system which allows the rods to be rotated both ways
- Different jobs suit different tools.
- Rods are available in Dia. 8mm, with lengths in 1m & 2m.

	ITEM NO.	Description
Steel Rod	8100AC	Dia. 8mm x 1m Steel Rod
	8200AC	Dia. 8mm x 2m Steel Rod
Single Worm Screw	M181	2" Single Worm Screw
	M182	3" Single Worm Screw
	M183	4" Single Worm Screw
Root Cutter	M184	2" Root Cutter
	M185	3" Root Cutter
	M186	4" Root Cutter
Spear Blade	M187	2" Spear Blade
	M188	3" Spear Blade
	M189	4" Spear Blade
Handle	H053	Rotating Handle

PROFESSIONAL
DRAIN
CLEANING

NEW PRODUCTS

DIY DRAIN
CLEANING

FLAT-TAPE PIPE CLEANER

Pat. Pending



FEATURES

- New designed case with grip-handle and rotating handle.
- Improved smoothness in wind-up movement.
- Grip-handle in center to provide a more sturdy grip
- Designed to clear most small household drains from 1 1/4" - 2" pipe lines.
- High-tensile flat steel tape with heat-treatment for more stabilized performance.

NEW

FLAT-TAPE PIPE CLEANER

ITEM NO.	Dia.	Length	Standard Packing
0101AH	0.7x6.3mm	20Ft(6m)	60/CTN

NEW DRUM AUGERS



0115CH
0125CH

FEATURES

- Handy and easy-to-use for all DIY users
- Options for handle: pistol-grip or round-grip handle
- Used to clear drains of 1 1/4"- 2" pipe lines
- Spring cable made of high carbon steel in diameter of 1/4"
- Auger lengths in: 15Ft, and 25Ft
- Available in both manual and drill-attachable models



0115CH-B
0125CH-B

POWER DRUM AUGERS



0115CHD
0125CHD

ITEM NO.	Dia.	Length	Spindle for Drill	Standard Packing
0115CH*	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125CH*	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0115CH-B	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125CH-B	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0115CHD*	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125CHD*	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN
0115CHD-B	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125CHD-B	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN

New designed ergonomic and weight-supporting handle makes it more user-friendly.



Pat. Pending

DRUM AUGERS

DIY DRAIN
CLEANING

MANUAL-TYPE

INSTRUCTIONS

1. Loosen thumbscrew; insert cable slowly into sink drain until clog is reached; and then tighten thumbscrew.

WARNING

DO NOT let go of cable while feeding cable downward; thumbscrew must be tightened before unclogging drain.

2. Slightly apply pressure and rotate drum clockwise until clog is cleared; for drill-attachable drums, attach to an electric drill for more energy-saving usage.
3. Remove cable slowly from drain. Flush drain. NOTE: Wash, air dry and oil tool before storing.

DESCRIPTIONS

- Rotary drum and handle made of durable high density PE or PP plastic
- Handy and easy-to-use for all DIY users
- Options for handle: pistol-grip or round-grip handle
- Used to clear drains of 1 1/4" - 2" pipe lines
- Spring cable made of high carbon steel in diameter of 1/4"
- Auger lengths in: 10Ft, 15Ft, and 25Ft
- Thumbscrew to lock cable

ITEM NO.	Dia.	Length	Spindle for Drill	Standard Packing
0110A	1/4" (6mm)	10Ft (3.0m)	N	6/CTN
0115A	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125A	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0110BA	1/4" (6mm)	10Ft (3.0m)	N	6/CTN
0115BA	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125BA	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0110C	1/4" (6mm)	10Ft (3.0m)	N	6/CTN
0115C	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125C	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0115PX	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125PX	1/4" (6mm)	25Ft (7.5m)	N	6/CTN

ITEM NO.	Dia.	Length	Spindle for Drill	Standard Packing
0110B	1/4" (6mm)	10Ft (3.0m)	N	6/CTN
0115B	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125B	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0110BN	1/4" (6mm)	10Ft (3.0m)	N	6/CTN
0115BN	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125BN	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0115GX	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125GX	1/4" (6mm)	25Ft (7.5m)	N	6/CTN
0115BX	1/4" (6mm)	15Ft (4.5m)	N	6/CTN
0125BX	1/4" (6mm)	25Ft (7.5m)	N	6/CTN

Manual-Type DRUM AUGERS WITH PISTOL-GRIP HANDLE



Manual-Type DRUM AUGERS WITH ROUND-GRIP HANDLE



Drill-Attachable
**POWER DRUM AUGERS WITH
PISTOL-GRIP HANDLE**



0110CD
*Adjustable safety clutch



0125AD



0115PX-D
*Adjustable safety clutch

Drill-Attachable
**POWER DRUM AUGERS WITH
ROUND-GRIP HANDLE**



0110BD



0115BX-D



0115GX-D
*Adjustable safety clutch

INSTRUCTIONS

1. Loosen thumbscrew; insert cable slowly into sink drain until clog is reached; and then tighten thumbscrew.

WARNING

DO NOT let go of cable while feeding cable downward; thumbscrew must be tightened before unclogging drain.

2. Slightly apply pressure and rotate drum clockwise until clog is cleared; for drill-attachable drums, attach to an electric drill for more energy-saving usage.

3. Remove cable slowly from drain. Flush drain.
NOTE: Wash, air dry and oil tool before storing.

DESCRIPTIONS

- Rotary drum and handle made of durable high density PE or PP plastic
- Handy and easy-to-use for all DIY users
- Equipped with a spindle for attaching to an electric drill
- Options for handle: pistol-grip or round-grip handle
- Used to clear drains of 1 1/4" - 2" pipe lines
- Spring cable made of high carbon steel in diameter of 1/4"
- Auger lengths in: 10Ft, 15Ft, and 25Ft
- Thumbscrew to lock cable

*Adjustable and automatic safety clutch
the clutch will slip and make warning noise if the auger gets tangled in the pipe line.

ITEM NO.	Dia.	Length	Spindle for Drill	Standard Packing
0110AD	1/4" (6mm)	10Ft (3.0m)	Y	6/CTN
0115AD	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125AD	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN
0110CD*	1/4" (6mm)	10Ft (3.0m)	Y	6/CTN
0115CD*	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125CD*	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN
0115PX-D*	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125PX-D*	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN
0110BD	1/4" (6mm)	10Ft (3.0m)	Y	6/CTN
0115BD	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125BD	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN
0115GX-D*	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125GX-D*	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN
0115BX-D	1/4" (6mm)	15Ft (4.5m)	Y	6/CTN
0125BX-D	1/4" (6mm)	25Ft (7.5m)	Y	6/CTN

Steel Drum Augers- DIY Models

DRUM AUGERS WITH PISTOL-GRIP HANDLE



DESCRIPTIONS

- Color-coated metal drum with a durable plastic pistol-grip handle
- Available in manual-type or drill-attachable model
- Designed to clean medium and small household drains and pipes
- Thumbscrew to lock cable
- Used to clear drains of 1 1/2" - 3" pipe lines
- Spring cable made of high carbon steel in diameter of 1/4"
- Auger lengths in: 15Ft and 25Ft

ITEM NO.	Dia.	Length	Spindle for Drill	Standard Packing
0115SA	1/4" (6.3mm)	15Ft (4.5m)	N	6/CTN
0125SA	1/4" (6.3mm)	25Ft (7.5m)	N	6/CTN
0115SD	1/4" (6.3mm)	15Ft (4.5m)	Y	6/CTN
0125SD	1/4" (6.3mm)	25Ft (7.5m)	Y	6/CTN

DRAIN CLEANERS WITH CRANK HANDLE

SINK CLEANER WITH BRUSH



DESCRIPTIONS

- This sink cleaner with brush is excellent to clean your washbasin and kitchen sink.
- Use this sink cleaner to clean the inside of your drains to prevent clogs to slowly build up and becomes a bigger problem.
- Spring cable is vinyl coated for rust-resistance purpose.
- Fixed brush on one end and handle on the other for easy handling.

ITEM NO.	Dia.	Length	Standard Packing
1103	1/4" (6mm)	3Ft (0.9m)	120/CTN
1105	1/4" (6mm)	5Ft (1.5m)	120/CTN

ZINC-PLATED SINK/DRAIN CLEANER



0118



0103C



0203



6118
6136

DESCRIPTIONS

- Made from eco-friendly galvanized high carbon steel wire
- Designed for most small and medium household drain pipes.
- Available in different types of handles

ITEM NO.	Dia.	Length	Standard Packing
0118	5.2mm	6Ft (1.8m)	40/CTN
6118	6mm	6Ft (1.8m)	20/CTN
6136	6mm	12Ft (3.6m)	20/CTN

Unit Packaging: Sliding card

ITEM NO.	Dia.	Length	Handle	Standard Packing
0103C	5mm	3m	Plastic or Wooden	40/CTN
0104B	5.5mm	3m	Plastic or Wooden	40/CTN
0105C	5mm	5m	Plastic or Wooden	40/CTN
0107C	5mm	7m	Plastic or Wooden	24/CTN
0203	9mm	3m	Plastic or Wooden	10/CTN
0205	9mm	5m	Plastic or Wooden	10/CTN
0207	9mm	7m	Plastic or Wooden	5/CTN
0210	9mm	10m	Plastic or Wooden	5/CTN

Unit Packaging: shrunk polybag

DRAIN AUGERS



0106S



0115SS



0115SS

DESCRIPTIONS

- Augers made from high-tensile spring wire
- Designed for most small and medium household drain pipes
- Used to clear 1 1/4" up to 4" of drain pipes
- Metal tubing handle for easy rotation
- Options for handles: simple crank handle or with Swivel-Grips

Simple Crank Handle (S)

ITEM NO.	Dia.	Length	Handle	Standard Packing
0108S	1/4"(6mm)	8Ft	Simple	24/CTN
0110S	1/4"(6mm)	10Ft	Simple	24/CTN
0115S	1/4"(6mm)	15Ft	Simple	24/CTN
0125S	1/4"(6mm)	25Ft	Simple	12/CTN
0225S	3/8"(9mm)	25Ft	Simple	6/CTN
0250S	3/8"(9mm)	50Ft	Simple	5/CTN
0325S	1/2"(12mm)	25Ft	Simple	5/CTN
0350S	1/2"(12mm)	50Ft	Simple	3/CTN

Swivel-Grip Handle (SS)

ITEM NO.	Dia.	Length	Handle	Standard Packing
0110SS	1/4"(6mm)	10Ft	Swivel	24/CTN
0115SS	1/4"(6mm)	15Ft	Swivel	24/CTN
0125SS	1/4"(6mm)	25Ft	Swivel	12/CTN
0225SS	3/8"(9mm)	25Ft	Swivel	6/CTN
0250SS	3/8"(9mm)	50Ft	Swivel	5/CTN
0325SS	1/2"(12mm)	25Ft	Swivel	5/CTN
0350SS	1/2"(12mm)	50Ft	Swivel	3/CTN

VINYL-COATED DRAIN CLEANER



08015PVC



06015PVC



08015PB

DESCRIPTIONS

- Spring cable is vinyl coated for rust-resistance purpose.
- PE crank handle to rotate auger easily
- Available with removeable brush to clean inside of drain pipes.
- PVC coating auger patented: Patent # 179889

ITEM NO.	Dia.	Length	Brush	Standard Packing
06015PVC	6mm	1.5m	N	20/CTN
0603PVC	6mm	3m	N	20/CTN
08015PVC	8mm	1.5m	N	48/CTN
0803PVC	8mm	3m	N	24/CTN
0805PVC	8mm	5m	N	24/CTN
08015PB	8mm	1.5m	Y	48/CTN
0803PB	8mm	3m	Y	24/CTN
0805PB	8mm	5m	Y	24/CTN

ROTARY GEARED HANDLE WITH AUGER



143000



DESCRIPTIONS

- Patented Rotary Geared Handle is designed for 1/4" & 3/8" Augers
- RGH can be used both manually or with an electric drill
- Handle is made from ABS plastic for durability
- Spare augers available.

ITEM NO.	Description	Dia.	Length	Unit Packaging
143000	Rotary Geared Handle only	NA	NA	Sliding Card
143110	Handle + 1/4" x 10' Auger	1/4"	10Ft	Box
143115	Handle + 1/4" x 15' Auger	1/4"	15Ft	Box
143125	Handle + 1/4" x 25' Auger	1/4"	25Ft	Box
143215	Handle + 3/8" x 15' Auger	3/8"	15Ft	Box
143225	Handle + 3/8" x 25' Auger	3/8"	25Ft	Box
143250	Handle + 3/8" x 50' Auger	3/8"	50Ft	Box
15610	1/4" x 10' Auger only	1/4"	10Ft	NA
15615	1/4" x 15' Auger only	1/4"	15Ft	NA
15625	1/4" x 25' Auger only	1/4"	25Ft	NA
20925	3/8" x 25' Auger only	3/8"	25Ft	NA
20950	3/8" x 50' Auger only	3/8"	50Ft	NA

PLUNGERS AND SUCTION PUMPS

DIY DRAIN CLEANING

MINI BELLOWS PLUNGER

-BEST-SELLER



2B05

DESCRIPTIONS

- Mini-sized but maximum plunging power to help with your slow running drains
- Designed for washbasin, sinks, tubs and shower drains.
- Made from eco-friendly plastic
- Standard color: Yellow

ITEM NO.	Size	Unit Packaging	Standard Packing
2B05	Height: 18cm	Flag Label	11/Display Box

MASTER PLUNGER



2B04



2B06



2B01



2B02



2B03

DESCRIPTIONS

- For most household medium sinks and toilets
- Handle and bellows cup made from PE plastic
- New design patented: 2B04/2B06

ITEM NO.	Size	Standard Packing
2B04*	Height: 46cm	12/CTN
2B06*	Height: 53cm	12/CTN
2B01	Height: 53cm	12/CTN
2B02	Height: 57cm	12/CTN
2B03	Height: 45cm	12/CTN

*US Pat. No. Des. 688,840

DIY DRAIN CLEANING

HYDRO JETPUMP



2H10



For Sinks,
Tubs and large drains



For Toilets



For Sinks,
Tubs and small drains




DESCRIPTIONS

- Worldwide patented innovative drain cleaning product
- This patented Hydro JetPump provides exploding power (but safe) of a water jet to safely open tough clogs in sinks, baths, showers, and toilets.
- Specially designed for DIY users for all households and is more effective and energy-saving than a traditional plunger or suction pump.
- Easy and safe to use

- Worldwide Patents owned:
USA PAT. 7,073,211
EPC PAT. 1798353
JAPAN PAT. 3119333
TAIWAN PAT. I292806
CHINA PAT. ZL200620002922.7

ITEM NO.	Content	Unit Packaging	Standard Packing
2H10	Hydro JetPump with 3 adapters for different sizes of drains	Color Box	12/CTN



- Firmly hold the Hydro JetPump.
- Push down or impact the handle to create a powerful water jet.
 - Repeat steps 1 to 3 if necessary.
 - Clean by flushing with fresh water and store.

PROFESSIONAL PIPE SHOOTER



2H12

DESCRIPTIONS

- Professional model
- No need to assemble before use
- 2 adapters available for basin & toilet

- Vacuum suction designed for both suction and pressure power
- Adjustable handle for easy handling
- Provides 1200 kg/F

ITEM NO.	Content	Unit Packaging
2H12	Pipe Shooter with 2 adapters for basin and toilet	Box



SUCTION PUMPS



2L05

ITEM NO.	Cup Dia.	Length	Standard Packing
2L05	17.5cm	47cm	24/CTN
2L5B	12cm	38cm	24/CTN
2L11	7cm	38cm	40/CTN
2L12	7cm + 15cm	43cm	24/CTN
2L15	7cm + 15cm	48cm	24/CTN

TRADITIONAL PLUNGERS



2K02



2K04



2K07

Plungers with Rubber Cup and Wooden Handle

ITEM NO.	Cup Dia.	Handle	Standard Packing
2001	5 3/4"	21" (yellow)	12/CTN
2002	5 1/2"	21" (yellow)	12/CTN
2S01A	5 7/8"	21" (natural white)	24/CTN
2S01B	5 7/8"	18" (natural white)	24/CTN
2S12	5 7/8"	18" (natural white)	24/CTN
2S02	5 7/8"	18" (natural white)	24/CTN
2S05	6"	18" (natural white)	48/CTN
2S03	5 1/2"	18" (natural white)	48/CN
2S06	5"	18" (natural white)	48/CTN
2S07	4 1/2"	9" (natural white)	48/CTN
2S08	4"	9" (natural white)	48/CTN

Plungers with Black Rubber Cup and Plastic Handle

ITEM NO.	Cup Dia.	Handle	Standard Packing
2K02	5 7/8"	19" (Red)	24/CTN
2K04	6"	16 1/2" (Red)	48/CTN
2K06	5"	16 1/2" (Red)	48/CTN
2K07	4 1/2"	9" (White)	48/CTN
2K08	4"	9" (White)	48/CTN

OTHER

DRILL SNAKE



1210

DESCRIPTIONS

- High-tensile spring cable encased in a PE plastic tube that remains stationary as the cable is rotated by an electric drill.
- Automatic safety clutch: the clutch will slip and make warning noise if the auger gets tangled in the pipe line.

- Standard PE tube color: blue
- Cable lengths available in: 10Ft, 15Ft, and 25Ft.

ITEM NO.	Dia.	Length	Standard Packing
1210	1/4" (6mm)	10Ft (3.0m)	24/CTN
1215	1/4" (6mm)	15Ft (4.5m)	12/CTN
1225	1/4" (6mm)	25Ft (7.5m)	12/CTN

DR. PIPE™



1310

1310X

DESCRIPTIONS Interchangeable 3-in-1 cleaning equipment for home

- Clothes Dryer Vent Brush**
 - To help clothes dryer avoid fire accidents
 - Improves heating efficiency
- Drain Cleaning Brush**
 - For cleaning kitchen sink, washbasin, and other small household drains.
- Fish Tape- for easy electrical cable pulling with bullet tip**
 - To install electrical cable within short distance range with ease

- Made from flexible fiberglass rod with nylon coating to avoid splinters
- Easy to use with crank handle
- Patented safety-lock to ensure the tips and brushes do not come off during usage.

ITEM NO.	Dia.	Length	Content	Standard Packing
1310	3.8mm	10Ft (3m)	"Interchangeable Parts include: 1. Dryer Vent Brush 3" 2. Drain Cleaning Brush 1.5" 3. Bullet Tip"	24/CTN
1310X	3.8mm	10Ft (3m)	Fixed Dryer Vent Brush 3" only	24/CTN

3-IN-1 CLEANER



1325


1325D

DESCRIPTIONS Interchangeable 3-in-1 cleaning equipment for home

- 3 different tips included**
 - Spring auger tip for opening clogged drains
 - 1.5" brush for cleaning small drain pipes
 - 3" brush for cleaning dryer vent lint.
- Cable length at 25Ft.**
- Rotary drum for easy cleaning.**

ITEM NO.	Length	Content	Spindle for Drill	Standard Packing
1325	25Ft (7.5m)	Interchangeable Parts include: 1. 1/4" Auger Tip 2. 1.5" Drain Brush 3. 3" Dryer Vent Brush	N	1/CTN
1325D			Y	

EZOPEN



1401

DESCRIPTIONS US Patented: US D 518,252 S

- Easily push EZopen into drains and pull out to remove hair and other debris.
- No messy or dangerous chemicals needed
- Environmentally safe
- Easy to use and clean
- No need to remove drain cover

ITEM NO.	Material	Length	Standard Packing
1401	Nylon	45cm	120/CTN

DRAIN SWEEP™



1402

DESCRIPTIONS

- The Drain Sweep™ is the safest and easiest way to unclog any sink or pipe without using harmful chemicals.
- Its easy-to-use trigger, patented Flex-Clean™ System and flexible 4-foot cable will make unclogging any drains or pipes a sweep!
- The Drain Sweep™ won the Blue Ribbon Award at the 2002 National Hardware Show in Chicago, USA.
- Spring cable is made from high carbon spring steel with vinyl coating for rust-resistance purpose.
- Pistol casing is made from ABS plastic for durability.

TAIWAN PAT. 161227
US Pat. # 5,768,741
US Pat. # 5,987,683
US Pat. # 6,276,018

ITEM NO.	Dia.	Length	Unit Packaging	Standard Packing
1402	6mm	4Ft	Sliding Card	20/CTN

DRAIN CLEANING NOZZLE WITH HOSE



2H11

DESCRIPTIONS

- Hose made from eco-friendly PE material
- Opening with 1 jet forward and 9 jets sideways
- Hose length at 2.5m and diameter of 3/8"
- Standard color of hose: red.



ITEM NO.	Dia.	Length	Unit Packaging	Standard Packing
2H11	3/8"	2.5m	Color Box	30/CTN

TOILET AUGERS

DIY DRAIN
CLEANING

TOILET AUGER WITH PLASTIC TUBE



DESCRIPTIONS

- Economy models for toilet cleaning
- Plastic tubing for light weight
- Auger made from high carbon steel
- Handle provides for easy rotation.

ITEM NO.	Auger Dia.	Auger Galvanization	Auger Length	Tube Dia.	Standard Packing
0301P	3/8" (9mm)	N	3Ft	5/8"	120/CTN
0301GP	3/8" (9mm)	N	3Ft	5/8"	120/CTN

TOILET AUGER WITH METAL TUBE



DESCRIPTIONS

- Standard model for DIY toilet auger
- Auger made from high carbon steel
- Handle provides for easy rotation.

ITEM NO.	Auger Dia.	Auger Galvanization	Auger Length	Tube Dia.	Unit Packaging	Standard Packing
0301A	3/8" (9mm)	N	3Ft	3/4"	Sleeve card	24/CTN
0302B	1/2" (12mm)	N	3Ft	3/4"	Sleeve card	12/CTN
0301B	3/8" (9mm)	Y	3Ft	5/8"	Sleeve card	24/CTN
0301BP	3/8" (9mm)	Y	3Ft	5/8"	Pouch	12/CTN
0301BB	3/8" (9mm)	N	3Ft	5/8"	Sleeve card	24/CTN

FLAT-TAPE PIPE CLEANERS

DIY DRAIN
CLEANING

ENCASED FLAT-TAPE PIPE CLEANER



0101A

DESCRIPTIONS


- Designed to clear most small household drains from 1 1/4" - 2" pipe lines.
- High-tensile flat steel tape with heat-treatment for more stabilized performance.
- Tape stored in durable plastic casing with wind-up handle
- 0101 with ball lead head; 0101A with spring auger head



0101AH

ITEM NO.	Dia.	Heat-Treatment	Length	Standard Packing
0101AH	0.7x6.3mm	Y	20Ft(6m)	60/CTN
0101A	0.7x6.3mm	Y	20Ft(6m)	60/CTN
0101	0.7x6.3mm	Y	20Ft(6m)	60/CTN

DIY
DRAIN
CLEANING



ECONOMY PIPE CLEANER



2015

DESCRIPTIONS

- Economy-model flat pipe cleaner
- Steel tape without heat-treatment
- Spring ball tip and cross rack for easy storing.

ITEM NO.	Dia.	Heat-Treatment	Length	Standard Packing
2015	0.5x5mm	N	15Ft (4.5m)	72/CTN
2025	0.5x5mm	N	25Ft (7.5m)	72/CTN

FLAT DRAIN CLEANER



3025



DESCRIPTIONS

- Handy economy model
- Flat steel tape made from high carbon steel with heat-treatment
- Spring auger head and cross metal rack for easy storing.

ITEM NO.	Dia.	Heat-Treatment	Length	Standard Packing
3025	0.028"x1/4"	Y	25Ft (7.5m)	20/CTN
3050	0.028"x1/4"	Y	50Ft (15m)	20/CTN

FLAT-TAPE SEWER RODS



320940



Encased Economy-model
Sewer Rod



3225
3350



DESCRIPTIONS

- Durable tool for cleaning drain pipes and sewers
- Flat rod is made from flexible high carbon steel with heat-treatment for more stabilized performance.
- Equipped with a sturdy arrow head to clear blockage
- Easy-grip-handle to make the cleaning go faster

ITEM NO.	Width	Thickness	Length	Standard Packing
320940	3/8"	1/16"	40Ft	5/CTN
3225	1/2"	1/16"	25Ft	5/CTN
3250	1/2"	1/16"	50Ft	5/CTN
3275	1/2"	1/16"	75Ft	5/CTN
321H	1/2"	1/16"	100Ft	5/CTN
3325	3/4"	1/16"	25Ft	3/CTN
3350	3/4"	1/16"	50Ft	3/CTN
3375	3/4"	1/16"	75Ft	3/CTN
331H	3/4"	1/16"	100Ft	3/CTN
3450	3/4"	1/8"	50Ft	2/CTN
3475	3/4"	1/8"	75Ft	1/CTN
341H	3/4"	1/8"	100Ft	1/CTN



BENDING SPRINGS

PLUMBING
TOOLS

ROUND BENDING SPRING: 4PC-SET EXTERNAL BENDING SPRING



DESCRIPTIONS

- For copper pipes only
- For external pipe bending
- 4pc-set for pipe diameters of 1/4", 3/8", 1/2" and 5/8"
- Galvanized spring

SQUARE BENDING SPRING (FOR EXTERNAL PIPE BENDING)



DESCRIPTIONS

- For copper pipes only
- For external pipe bending
- Galvanized square wire

ITEM NO.	Size	Old Item No.
E2510724	For 8-10mm O.D.	643010
E2512724	For 10-12mm O.D.	643012
E2514726	For 12-14mm O.D.	643014
E2516726	For 14-16mm O.D.	643016

SQUARE BENDING SPRING (FOR INTERNAL PIPE BENDING)



DESCRIPTIONS

- For PVC & copper pipes
- For internal pipe bending
- Galvanized square wire

ITEM NO.	Size	Length	Old Item No.
I2012860	For 15mm Tube	0.6m	644015
I2518860	For 22mm Tube	0.6m	644022
I1611090	For 16mm Tube	0.9m	645016
I2013090	For 18mm Tube	0.9m	645018
I2214590	For 20mm Tube	0.9m	645020
I2519090	For 25mm Tube	0.9m	645025

STEEL TAPE



CABLE PULLING

STEEL FISH TAPE WITH METAL RACK



0305



0325L

DESCRIPTIONS

- Economy model with metal rack for easy carrying
- Metal rack provides easy storage while not in use.
- Steel tape made from high carbon steel with heat-treatment.

ITEM NO.	Width	Thickness	Length	Handle	Flexible Leader	Unit Packaging
0305	1/8" (3.2mm)	1/16" (1.6mm)	50Ft	N	N	12/CTN
0310	1/8" (3.2mm)	1/16" (1.6mm)	100Ft	N	N	12/CTN
0315	1/8" (3.2mm)	1/16" (1.6mm)	150Ft	N	N	12/CTN
0320	1/8" (3.2mm)	1/16" (1.6mm)	200Ft	N	N	6/CTN
0305L	1/8" (3.2mm)	1/16" (1.6mm)	50Ft	N	Y	12/CTN
0310L	1/8" (3.2mm)	1/16" (1.6mm)	100Ft	N	Y	12/CTN
0315L	1/8" (3.2mm)	1/16" (1.6mm)	150Ft	N	Y	12/CTN
0320L	1/8" (3.2mm)	1/16" (1.6mm)	200Ft	N	Y	6/CTN

STEEL FISH TAPE WITH ROTATABLE METAL RACK



0305B



0325L

DESCRIPTIONS

- Economy model with metal rack for easy carrying
- Rotatable metal rack makes tape easier to feed out and store while not in use.
- 1/8"(3.2mm)*1/16"(1.6mm) flat steel tape made from high carbon steel with heat-treatment
- Steel tape length available at: 50Ft, 100Ft, 150Ft and 200Ft.
- Maximum loading strength: 360lbs. Tensile strength designed to be 500lbs. Recommended weight at 250lbs.

ITEM NO.	Width	Thickness	Length	Handle	Flexible Leader	Unit Packaging
0305B	1/8"(3.2mm)	1/16"(1.6mm)	50Ft	Y	N	5/CTN
0310B	1/8"(3.2mm)	1/16"(1.6mm)	100Ft	Y	N	5/CTN
0315B	1/8"(3.2mm)	1/16"(1.6mm)	150Ft	Y	N	5/CTN
0320B	1/8"(3.2mm)	1/16"(1.6mm)	200Ft	Y	N	5/CTN
0305BL	1/8"(3.2mm)	1/16"(1.6mm)	50Ft	Y	Y	5/CTN
0310BL	1/8"(3.2mm)	1/16"(1.6mm)	100Ft	Y	Y	5/CTN
0315BL	1/8"(3.2mm)	1/16"(1.6mm)	150Ft	Y	Y	5/CTN
0320BL	1/8"(3.2mm)	1/16"(1.6mm)	200Ft	Y	Y	5/CTN

ENCASED STEEL FISH TAPE



0305E



0305A



0305AL



0310AA



0325CC

DESCRIPTIONS

- Flat steel tape made from high carbon steel with heat-treatment
- 1/8"(3.2mm)*1/16"(1.6mm) flat steel tape with maximum loading strength at 360lbs, recommended weight at 250lbs, and tensile strength at 500lbs.
- Equipped with durable winder case and sliding handle for easy feeding and storage

	ITEM NO.	Width	Thickness	Length	Flexible Leader	Unit Packaging
A-model Encased Fish Tape	0305A	1/8"(3.2mm)	1/16"(1.6mm)	50Ft	N	12/CTN
	0305AL	1/8"(3.2mm)	1/16"(1.6mm)	50Ft	Y	12/CTN
AA-model Encased Fish Tape	0310AA	1/8"(3.2mm)	1/16"(1.6mm)	100Ft	N	12/CTN
	0320AA	1/8"(3.2mm)	1/16"(1.6mm)	200Ft	N	6/CTN
	0310AL	1/8"(3.2mm)	1/16"(1.6mm)	100Ft	Y	12/CTN
	0320AL	1/8"(3.2mm)	1/16"(1.6mm)	200Ft	Y	6/CTN
Economy Encased Fish Tape	0305E	1/8"(3.2mm)	0.04"(1.0mm)	50Ft(15m)	N	10/CTN
Carpet Fish Tape	0325CC	1/4"(6.3mm)	0.03"(0.8mm)	25Ft(7.5m)	N	20/CTN

FIBERGLASS

CABLE
PULLING

FIBERGLASS FISH TAPE WITH ROTATABLE METAL RACK



DESCRIPTIONS

- Non-conductive cable pulling for safer usage in occupied conduit
- Fiberglass tape stored in economy metal feeding cage for easy handling
- With flexible spring leader for easy feeding
- Fiberglass tape coated in nylon, available in diameters of 3.8mm and 4.8mm
- Repair kit includes: glue, 2 sets of spare connecting parts, and repair instruction sheet

ITEM NO.	Width	Length	Repair Kit Included
0310FAB	0.15"(3.8mm)	100Ft(30m)	Y
0315FAB	0.15"(3.8mm)	150Ft(45m)	Y
0320FAB	0.15"(3.8mm)	200Ft(60m)	Y
1310FAB	0.19"(4.8mm)	100Ft(30m)	N
1315FAB	0.19"(4.8mm)	150Ft(45m)	N
1325FAB	0.19"(4.8mm)	200Ft(60m)	N

ENCASED FIBERGLASS FISH TAPE



0305FA



0305FAH

DESCRIPTIONS

- Non-conductive cable pulling for safer usage in occupied conduit
- Fiberglass tape is perfect for general conduit fishing applications.
- Light-weighted, easy-to-use winder case with options for handle or without handle
- With flexible spring leader for easy feeding
- Fiberglass tape coated in nylon, available in diameters of 3.0mm and 3.8mm
- Length available in: 50Ft, 100Ft, and 150Ft. Max. storage length in winder case is 150Ft(45m)
- Repair kit includes: glue, 2 sets of spare connecting parts, and repair instruction sheet

ITEM NO.	Dia.	Length	Handle	Repair Kit Included	Standard Packing
3005FA	3.0mm	50Ft(15m)	N	N	5/CTN
3010FA	3.0mm	100Ft(30m)	N	N	5/CTN
3015FA	3.0mm	150Ft(45m)	N	N	5/CTN
0305FA	3.8mm	50Ft(15m)	N	Y	5/CTN
0310FA	3.8mm	100Ft(30m)	N	Y	5/CTN
0315FA	3.8mm	150Ft(45m)	N	Y	5/CTN
3005FAH	3.0mm	50Ft(15m)	Y	N	5/CTN
3010FAH	3.0mm	100Ft(30m)	Y	N	5/CTN
3015FAH	3.0mm	150Ft(45m)	Y	N	5/CTN
0305FAH	3.8mm	50Ft(15m)	Y	Y	5/CTN
0310FAH	3.8mm	100Ft(30m)	Y	Y	5/CTN
0315FAH	3.8mm	150Ft(45m)	Y	Y	5/CTN

CABLE
PULLING

EZ FEED FIBERGLASS CABLE PULLER



DESCRIPTIONS


- EZ Feed ground-type cable pulling cage in 2 sizes:
Height 76cm (L-model)
Height 59cm (M & D models)
- Portable and light-weighted
- Adjustable running/feeding speed
- Coated fiberglass tapes include 3-pc accessory pack
- Options for metal feeding cage or ABS housing
- Dia. 4.5mm and 4.8mm fiberglass tape coated in Nylon; dia. 6.0mm fiberglass tape coated in anti-UV PP material



Model	Description	Stand Dimension
M	Medium size steel wire cage with steel tubing stand	L47cm x W17cm x H59cm
D	Medium size ABS housing with steel tubing stand	L47cm x W17cm x H59cm
L	Large size steel wire cage with steel tubing stand	L57cm x W18cm x H76cm

ITEM NO.	Dia.	Length	Model	Accessory Pack
1410FM	4.5mm	30m	M	Y
1416FM	4.5mm	50m	M	Y
1433FM	4.5mm	100m	M	Y
1316FM	4.8mm	50m	M	Y
1333FM	4.8mm	100m	M	Y
1410FD	4.5mm	30m	D	Y
1416FD	4.5mm	50m	D	Y
1433FD	4.5mm	100m	D	Y
1316FD	4.8mm	50m	D	Y
1333FD	4.8mm	100m	D	Y
1533FL	6.0mm	100m	L	Y
1550FL	6.0mm	150m	L	Y
430M	M model cage/stand only		M	N
430D	D model housing/stand only		D	N
620L	L model cage/stand only		L	N
3PCTF	3-pc accessory pack		M/D/L	

FLAT FIBERGLASS FISH ROD



From the top down




From the bottom up



Roller-Wheel Hook Tail-End



Horizontal wiring



Corner wiring




Diagonal wiring

DESCRIPTIONS

- Flat fiberglass rod with coating
- Works great in wall cavities, suspended ceilings, and any confined spaces.
- Glow-in-dark wheel provides easy wiring in dark space
- Accessories include: tail-end, hook, and glow-in-dark roller wheel(s)

ITEM NO.	Length	Wheel(s)	Standard Packing
FR1034	4m	Single	8/CTN
FR1038	8m	Single	8/CTN
FR1034A	4m	Double	8/CTN
FR1038A	8m	Double	8/CTN

FISH STICKS



DESCRIPTIONS


- Sectional fiberglass rods of 330mm and 1m to work in narrow and wide spaces
- Great for gaining access to wires and cables under floorboards, above ceiling, trunking and wall cavities
- Fiberglass rods available in solid fiberglass or with coating
- Optional glow-in-dark rod
- Accessory includes: hook, ring, and flexible leader



Ceiling Ducts



Wall Cavities



Trunking




Under Floorboards

ITEM NO.	Dia.	Coating	Length	Accessories	Standard Packing
5033F	5mm	N	330mm x 10 Sticks	Y	48/CTN
5100F	5mm	N	1m x 10 sticks	Y	20/CTN



ITEM NO.	Dia.	Coating	Length	Accessories
6710FC	6mm	Y	1m x 10 Sticks	Y
6710FC-A	6+7mm	Y	6mm x 1m x 7 Sticks 7mm x 1m x 3 Sticks	Y



HOOK



RING



FLEX LEADER

NYLON

CABLE
PULLING

NYLON FISH TAPE



DESCRIPTIONS

- Made from high-impact nylon
- With flexible spring leader: fixed (for dia. 3mm) or replaceable (for dia. 4mm)
- Diameters of nylon tape: 4mm (red) and 3mm (clear/natural)

ITEM NO.	Dia.	Length	Flex. Leader	Standard Packing
2310NL	4mm	10m	Replaceable	20/CTN
2315NL	4mm	15m	Replaceable	20/CTN
2320NL	4mm	20m	Replaceable	20/CTN
2325NL	4mm	25m	Replaceable	20/CTN
2330NL	4mm	30m	Replaceable	20/CTN
3310NL	3mm	10m	Fixed	20/CTN
3315NL	3mm	15m	Fixed	20/CTN
3320NL	3mm	20m	Fixed	20/CTN
3325NL	3mm	25m	Fixed	20/CTN
3330NL	3mm	30m	Fixed	20/CTN

ENCASED NYLON FISH TAPE

DESCRIPTIONS

- Made from high-impact nylon
- With replaceable flexible spring leader
- Winder case for easy handling

ITEM NO.	Dia.	Length	Standard Packing
2310NAH	4mm	10m	6/CTN
2315NAH	4mm	15m	6/CTN
2320NAH	4mm	20m	6/CTN
2325NAH	4mm	25m	6/CTN
2330NAH	4mm	30m	6/CTN

SAMROCK®

PP COATING

CABLE PULLING

PP COATING WIRE PULLER



4030SP-A

DESCRIPTIONS

- PP Coating with steel wire core
- Available with or without winder case
- Diameter of 4mm
- Standard Color of Tape: Red

ITEM NO.	Dia.	Length	Winder Case	Standard Packing
4010SP	4mm	10m	N	20/CTN
4015SP	4mm	15m	N	20/CTN
4020SP	4mm	20m	N	20/CTN
4030SP	4mm	30m	N	20/CTN
4010SP-A	4mm	10m	Y	6/CTN
4015SP-A	4mm	15m	Y	6/CTN
4020SP-A	4mm	20m	Y	6/CTN
4030SP-A	4mm	30m	Y	6/CTN

PP COATING WIRE PULLER- FLAT TAPE

DESCRIPTIONS

- PP Coating flat steel tape
- Available with or without winder case
- Diameter of 4mm
- Standard Color of Tape: Red

ITEM NO.	Dia.	Length	Winder Case	Standard Packing
4010FSP	4mm	10m	N	20/CTN
4015FSP	4mm	15m	N	20/CTN
4020FSP	4mm	20m	N	20/CTN
4030FSP	4mm	30m	N	20/CTN
4010FSP-A	4mm	10m	Y	6/CTN
4015FSP-A	4mm	15m	Y	6/CTN
4020FSP-A	4mm	20m	Y	6/CTN
4030FSP-A	4mm	30m	Y	6/CTN




PP Coating Flat Steel Tape

PET & POM

CABLE PULLING

POM WIRE PULLER



0415 & 5515

DESCRIPTIONS

- Made from high tensile and durable POM plastic
- Available in solid POM or with steel wire core

ITEM NO.	Dia.	Color	Length	Cored
0415	4.5mm	Yellow	15m	N
0430	4.5mm	Yellow	30m	N
0450	4.5mm	Yellow	50m	N
5515	5.5mm	White	15m	Y
5530	5.5mm	White	30m	Y
5550	5.5mm	White	50m	Y

PET WIRE PULLER

Single-Twisted



S0415



DESCRIPTIONS

- Made from solid PET plastic
- Single-strand twisted or three-strands twisted

ITEM NO.	Strands	Dia.	Length	Color	Carrying Tube
S4015	Single	4.0mm	15m	Green	N
S4020	Single	4.0mm	20m	Green	N
S4030	Single	4.0mm	30m	Green	N
S0415	Single	4.5mm	15m	Fluorescent Orange	N
S0430	Single	4.5mm	30m	Fluorescent Orange	N
S0450	Single	4.5mm	50m	Fluorescent Orange	N
S0515	Single	5.2mm	15m	Fluorescent Yellow	N
S0530	Single	5.2mm	30m	Fluorescent Yellow	N
S0550	Single	5.2mm	50m	Fluorescent Yellow	N
TT0515	Three-Strands	5.0mm	15m	Black & Orange	N
TT0520	Three-Strands	5.0mm	20m	Black & Orange	N
TT0530	Three-Strands	5.0mm	30m	Black & Orange	N
0615	Three-Strands	6.0mm	15m	Black	N
0630	Three-Strands	6.0mm	30m	Black	N
0650	Three-Strands	6.0mm	50m	Black	N
0630T	Three-Strands	6.0mm	30m	Black	Y
0650T	Three-Strands	6.0mm	50m	Black	Y
0715	Three-Strands	7.0mm	15m	Black & Yellow	N
0730	Three-Strands	7.0mm	30m	Black & Yellow	N
0750	Three-Strands	7.0mm	50m	Black & Yellow	N
0730T	Three-Strands	7.0mm	30m	Black & Yellow	Y
0750T	Three-Strands	7.0mm	50m	Black & Yellow	Y
T30	Carrying Tube for 30m			Yellow Tube	
T50	Carrying Tube for 50m			Yellow Tube	

Three-Twisted



0630T & 0730T

ENCASED PET WIRE PULLER DESCRIPTIONS


- Made from solid PET plastic
- With durable winder case for easy feeding

ITEM NO.	Strands	Dia.	Length	Winder Case
S4020SAH	Single	4.0mm	20m	Y
S4030SAH	Single	4.0mm	30m	Y



ENCASED PET WIRE PULLER


EZ FEED PET WIRE PULLER



DESCRIPTIONS

- EZ Feed ground-type cable pulling cage in 2 sizes:
Height 76cm (L-model)
Height 59cm (M & D models)
- Adjustable running/feeding speed
- Options for metal feeding cage or ABS housing
- Portable and light-weighted

Model	Description	Stand Dimension
M	Medium size steel wire cage with steel tubing stand	L47cm x W17cm x H59cm
D	Medium size ABS housing with steel tubing stand	L47cm x W17cm x H59cm
L	Large size steel wire cage with steel tubing stand	L57cm x W18cm x H76cm



ITEM NO.	Strands	Dia.	Length	Model
S0550M	Single	5.2mm	50m	M
S0560M	Single	5.2mm	60m	M
0650M	Three-Strands	6.0mm	50m	M
0660M	Three-Strands	6.0mm	60m	M
0750M	Three-Strands	7.0mm	50m	M
0760M	Three-Strands	7.0mm	60m	M
S0550D	Single	5.2mm	50m	D
S0560D	Single	5.2mm	60m	D
0650D	Three-Strands	6.0mm	50m	D
0660D	Three-Strands	6.0mm	60m	D
0750D	Three-Strands	7.0mm	50m	D
0760D	Three-Strands	7.0mm	60m	D
06100L	Three-Strands	6.0mm	100m	L
07100L	Three-Strands	7.0mm	100m	L

CABLE PULLING ACCESSORIES

CABLE PULLING

CABLE PULLING LUBRICANT



ITEM NO.	Description	Standard Packing
PC-WAX-P	0.5 Liter	24/CTN G.W. 12kg.
PC-WAX-L	1 Liter	12/CTN G.W. 12kg.
PC-WAX-G	1 Gallon	4/CTN G.W. 16kg.
PC-WAX-M	5 Gallon	1/CTN G.W. 20kg.

*Cable Pulling Lubricant Minimum Order Quantity: 100 kg.

CABLE GRIP



DESCRIPTIONS

- Designed for pulling light to medium loads
- Improves working efficiency by pulling numbers of cables at once

ITEM NO.
CT01
CT02

RUBBER GRIP



DESCRIPTIONS

- Labor saving pulling tool to improve working efficiency
- No damages to the Polyester Fish Tape
- Available color: Blue & Black

ITEM NO.	Content	Material
RG001	Blue Color	Rubber
RG002	Black Color	Rubber



CABLE PULLING

SAMROCK®





SAM ROCK INDUSTRIAL CO. LTD

No. 10, Ben Gong West Road, Ben Chou Industrial park,
Gangshan Districk, Kaohsiung City, 82059 Taiwan

TEL: 886-7-6217788

FAX: 886-7-6235577

www.samrock.com.tw

www.samrocktw.com

E-mail: samrock@ms32.hinet.net